Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



DECEMBER 1941

U. S. Department of Agriculture

RECEIVED

WHOLESALE PRICE LIST

R. W. POINDEXTER NURSERY

1000 North Temple Street, Compton, California

SALES CONDITIONS: Prices include packing but not transportation costs. Quantities quoted are minimum at these prices. This list is complete as to the stock available at present and supersedes and cancels all previous lists. Cash should accompany order unless goods are shipped c.o.d., or unless credit has already been established. 2% discount will be allowed for cash with order. All material is offered subject to prior sale of stock on hand.

ASSORTMENTS: Many buyers, particularly those who are not familiar with our line of goods, prefer to have us make up an assortment with a view to their particular type of trade. This leeway of choice enables us to give maximum satisfaction by furnishing plants which are looking best at the time the order is made up. All assortments include 100 or more plants and usually 10 of each variety. A dealer is thus able to obtain less than 100 plants of a kind at the 100 price. All plants are labeled unless otherwise specified.

ALL-IN-ONE ASSORTMENT50 different varieties of cacti and succulents, 100 unlabeled plants	\$5.00
This has proven to be our most popular assortment. CACTUS ASSORTMENT #1An economical assortment of small cacti,	
100 plants, 10 or more varieties	2.50
CACTUS ASSORTMENT #2Larger plants of different species than the preceding, 100 plants, 10 or more varieties	5.00
COMBINATION ASSORTMENT25 varieties of both cacti and succulents,	2.50
An assortment giving a wide variety of colorful plants. Especially adapted to planting attractive dish gardens.	
ECHE VERIA ASSORTMENT This assortment includes some of the rarer varieties, 100 plants, 10 varieties	2.50
MINIATURE POT ASSORTMENT 100 plants, 10 unlabeled varieties, none over 1"	2.50
ROOTED OPUNTIA ASSORTMENT100 rooted cuttings	2.50
spineless or nearly so, 100 plants	1.50
100 plants, 20 unlabeled varieties	1.75

GENERAL PRICE LIST

CACTI

Cheng ages as Sail

TERM MORNING TARREST

R. W. POINTERSON DESCRIPTION

1000 lorth bangle Edgeous Compton, Sasiferrie

dition the state of the states the state of the states the states of the stat

anti cuo dite relitari dar cir ca dività dichinar la contra dell'are di contra della contra c

10.00 11.00

ACIT EALLS TYROURD

ITOLD

and toll the of the Land of the tent to the tent of th

ADDROCATED BLOWN FELL OF CONTRACTOR OF THE PROPERTY OF THE PARTY.

	10	100
AS TROPHYTUM myriostigma, "Bishop's Cap," 1"		\$10.00
White, star-like spines flat against very dark green, smooth, shiny plant body.	•75	
ECHINOPSIS hybrid, 4" to 5" blooming size plants	1.50	
E. rhodotricha var. robusta, li	1.00	
EPIPHYLLUM - See special 24 page illustrated 1941 list FEROCACTUS alamosanus, 1"	•60	5.00
green; globular. HARRISIA martinii, 2" to 4" seedlings	• 35	2.50
LEMAIREOCEREUS beneckei, 22	2.00	
heavy coat of silvery white powder. (Pl. 26) L. pruinosus, l ¹ / _Z	• 50	4.00
in color when grown under glass. LOBIVIAS, assorted, at least 8 different, labeled species from		
1" to $l_{\mathbb{Z}}^{\mathbb{N}}$.50	5.00 4.00
L. binghamiana, l" to $l_{\overline{z}}^{"}$ rooted	.50	
M. bocasana, l" seedlings	•75	6.00
M. celsiana, l"	.90	
short, white and light yellow spines. M. compressa, 1"	•60	5,00
M. decipiens, 1"	•60	5.00
erect, white spines. Grows easily. M. densispina, l"	1.25	
Globular, covered with long, shiny, yellow spines. M. durispina, l"	.60	5.00
M. elongata, 12" with small offsets	.60	5.00
M. elongata var. minima, lat with small offsets	•60	5.00
M. elongata var. stella aurata, $l_{\mathbb{Z}}^{\frac{1}{2}}$ with small offsets	•75	6.00
M. klissingiana, $3/4$ "	•75 •60	
Hard, grayish plant, widely spaced tubercles with stiff, black spines.		
M. microhelia, 1" seedlings	1.00 .60	5.00
tubercles. Grows easily, mature plants flower freely.		

2000		THE REAL PROPERTY AND ADDRESS OF THE PARTY O
		ASTROPHYTEN ANTI- Ben Astrophytus myrtostigma
- 0'4 TA TH		While star-like spines flat seales very dark gross.
		ROHIHOFBIS hybrid, derk groon, globular plants.
		E. Phodutaloho war, rolmate, 16
		Hare, sione from lag, true apostes. Does not offsut.
· 00at	- 03. **	PERCONCEUS alimonist l'accommensormes surces
• 60.4		HARRISTA MURELLE 2" to A" and line accessors are allingan
		War good for bulls (Fire Pr. 28)
		A CONTRACTOR OF THE PROPERTY O
		a drive borger on or drawing you odd probleming to drawing A
.00.4		. (21 plu) and wary while you had been considered at
		Workerind with pronounced as has been broken white
		in color when grown under glaces at least a least a least a least at least a least at least a
		Anna de la constante de la con
.00a	* /50 m	La abrovionna la De La consequence en consequence de la consequence della consequenc
		Wood Jania dal mord grafudo to
THE THE SP ACE	08.	A boossens I good in good and a second and a
	. 37.	are a series and a series of the series of t
		y Arth Corth fants fait, white pedates agend arrang
* * *	00.	anulaego uningor grev
		Pents olegants redular plant descrip covered with very
		series which their their prints and approximate and a compression of the compression of t
		(110, 18, 68)
· 00,8		A designed a long porter a long porter with small orons.
		enlored flowers, I and a are light green bearing shift,
		office spire spire, a state of the same
Mary	Constant .	Ma demologica, I despendente long, ablay, yellor aplante
. 00-3		Ma during him 19 are a service and a service
	co.	Me alongota, 13 total authors (Fla 100)
. 00*9		Ma olongoth ware minima, he's minim off sobsession and
		flow eword a realles boog a symple amon at minerally?
• 00.0		M. olongath war, stells nursts, let with anall offsets, see a look
	478 ·	He kills inning, the manufacture of the second of the seco
	00a	account and a service of a service of the service o
-	3,00	Ma wirroheling I mendings assessment assessment of the mirroheling of
6,00	. 09*	Mr. Highly I'm and a second as a secon
		dustine group and whole wheel and so on the contract of the
		suborder, Orone castly makure diam's flower freely.

	10	100
Mammillaria parkinsonii, 1"	\$1.00	\$
Striking species with white, flattened, recurved spines.	8-400	Ħ
(P1. 92)		
M. phaeacantha, l	. 60	5.00
M. prolifera, l"	.60	5.00
Miniature, wooly plant; clusters freely when small, giving		
the appearance of a little mound of grayish wool. (Pl. 97)		
M. uncinata, l"	.60	5.00
Globular plant with short, black spines. (Pl. 103)		
MELOCACTUS intortus, "Turk's Turban," 1"	1,25	
NOPALEA coccinellifera, 6" rooted cuttings	. 35	
Smooth, spineless, very dark green, Opuntia-like pad.		
NOTOCACTUS apricus, 1" seedlings	1.00	Made and Alle date
Round plant densely covered with harmless, curly, golden		
spines.		
N. mammulosus, $1^{\frac{1}{2}}$	1.00	
Very attractive plant with short, stiff spines on dark		
red plant body.		
N. ottoris, 1211	• 75	
Attractive spines on dark green plant.		
(PUNTIA decumbens, 4" rooted cuttings	. 35	
Olive green, spineless, small tufts of light-colored		
glochids.		
O. elata, rooted cuttings	•35	2.50
Shiny, dark green, spineless.		
O. elata var. oblongata, rooted cuttings	.35	2.50
O. glomerata, rooted cuttings	1.00	
"Paper Spined Opuntia." Rare and striking; the spines		
look like thin pieces of paper; joints globular.	P	0 00
O. microdasys, rooted cuttings	. 30	2.00
unrooted cuttings		1.25
spinelets. Very popular. (Pl. 17)		
O. monacantha, 4" rooted outtings	70	2 00
unrooted cuttings	.30	2.00
Spineless, bright green, thin stems.		1,00
O. monacantha variegata, 4" to 6" rooted cuttings	. 60.	5.00
Light yellow and green mottled; new growth often pink.	• 00.	0.00
O. (Tephrocactus) species, 1" to 12" rocted cuttings	.35	2.50
Dwarf type forming clusters of marble-like joints.	.00	2.00
O. teres, rooted cuttings	.40	3.00
South American Opuntia. Cylindrical; light green; very		
short spines. Shiny, bright green leaves all during		
growing season.		
0. vilis, 21 branched, rooted cuttings	.35	2.50
unrooted cuttings		1.50
Cylindrical trunk, branches like a small tree.		
OREOCEREUS trollii, 12"	.90	7.50
Columnar plant covered with long, white, silky hairs,		
particularly at the tip. Very desirable.		
PAPER SPINED OPUNTIA - See Opuntia glomerata		
PHYLLOCACTUS - See special epiphyllum list		
PILOCEREUS palmeri, 3" seedlings	1.50	-
White, wooly plant of columnar growth.		
RAT TAIL - See Aporocactus conzattii		
REBUTIA senilis, l"	.60	
SELENICEREUS vagans, l_{2}^{1} seedlings	.35	2.50
Small, fuzzy-spined branches forming small clumps.		

		The same of the sa
		Striking openion with white, cleterand, secured spines
		The second of th
-	75.1	
		MCTCACTUS aprince of account to the format t
		Manual densely covered with hemsiesa, ourly, polden
		No marked of the days of the track with the track of the
		red giant body,
		and the second second second second second
		and the state of t
2460		O sloke ver oblemente, mosted entity go
		Reper Suiged Contles" Rare and shriking the spiner
GRAI		
		to Jones and the second
Cars		
		C. monuseatha variegalas 4º to 5º more addition in a service of
		Description formics observe of surplosition lainte.
	(10	Co beres, access and in the continue of the production and a continue of the production of the product
		EDON THE EMERGE
		O. ville, 250 breached, porbed out to grantessament Page and the at
	40000	The state of the s
73.5	1174	PRECEDENCE PRODUCT OF THE PRODUCT OF
		particularly at the tip. Thry desirable.
	,	PHYLLOCATOR - See apenda with limit in
		PHIOCERSUS calmert, St seedlings with the contraction of the contracti
	1,50	indivor innerios to suala clear colde
		LAT TAIL - See Aperocentus connectii
		EMBUTIA Dending I was a service of the service of t
	25.	The second of the second secon

	10	100
STENOCACTUS lamellosus, 1"	\$1.00	\$7.50
TRICHOCEREUS chiloensis, 1"	.60	5.00
Hard plant with stout, yellowish spines; distinct and		
showy.		
TURK'S TURBAN - See Melocactus intortus		

SUCCULENTS

NOTE: Reference numbers in parentheses refer to illustrations in for the Amateur."	"Succule	ents
	10	100
ADROMISCHUS clavifolius, l"	\$.35	\$2.50
AEONIUM arboreum, 2" unrooted cuttings	and any and any	•60
A. decorum, rooted cuttings	• 30	2.00
A. sedifolium, 22 branched, rooted cuttings	•35	2.50
A CA WE sisalana, 4" to 6"	• 35	2.50
ALOE ferox, lat seedlings Beautiful seedlings, blue-gray color with prominent	•40	3.00
spines. (Fig. 244)	40	7 00
A. humilis var. incurva, $l_{2}^{\frac{1}{2}}$ to 2^{11}	.40	3.00
A. pratensis, 2" seedlings Dwarf plant. Gray green with white dots, heavily toothed on margins and backs of leaves.	2.00	
A. striata, 2" to $2\frac{1}{2}$ " seedlings	•30	2.50
A. variegata, "Partridge Breast," 12"	1.50	
A. vera, 8" to 12" unrooted offsets	1.25	10.00
BRYOPHYLLUM Houghton hyb., 2" to 3"	.25	1.50
CHEIRIDOPSIS aspera, rooted cuttings	.25	
leaves become purple during summer months. (Fig. Pg. 40) C. candidissima, la	.75	au au an an
CORN COB CACTUS - See Euphorbia submammillaris CRASSULA corymbulosa, 2"	• 30	2.00
C. orbiculata, 2" rooted cuttings	.35	2.50
C. perforata, 2" rooted cuttings "Rosary Plant." (Fig. 5)	.35	2.50
C. tetragona, 3" unrooted cuttings		. 60

THE TURNS - Fee Lolougebus Intertus

BONESH BOUS

		Marin Beforence ausbore in preschasse refer to divergetions in
181.60		AND
03496	0000	
		The second secon
034		accession and the second secon
		The second secon
		and the second of the second s
03.3	054	
Ones	To the	The state of the s
		AND A STATE OF THE PARTY OF THE
000		The second of the second secon
*		Longitude trin solos guas esta collega luch most
		Dogmary Com the tate the color with proclings
		And the first the same of the same and the same and the same of th
00 48		and the state of t
	17045	A TARREST OF SOCIAL PROPERTY OF STREET, STREET
		ATTANCE AND THE PROPERTY OF TH
		to save as saved to a large of hadden
0043		As whitehe at the 21th modifications are assessment at
		vinceres with the former of the second on the second of th
	00.1	As your 14 to 120 parents of affection affection and areas and areas and
00,01		PRESENTATION OF THE PROPERTY O
		Lacinibes odd to newson these a serie of circumstants
03.1		PRINCEPALLY BOOKED Bybys En to Strangers and an angle to be an interest and an
		CHRIHITOCHELL RELIEF TO SEE OUR LOUR CHEST CONTRACTOR CHESTON CHESTON
		Louver her on parple daring number (Fig. Pgs 4c)
-	21.1	Boombird, run and a Small clump of allvoy yes
70.3	710	CARSOLA COLUMN SAN SAN SAN CONTRACTOR CONTRA
		Los your all from the first the property of the state of
		(65 and and a read authors your dity backs more
Dis.		de captivitates an montre extension entre en entre entre en entre
		when seasoned in helph got to medican delle
70.5		C. Driberte, 28 motor cutting consequences and a second
		and the following all directions are assessment and all the following the particular all
		A SECTION AND ADDRESS OF THE PROPERTY OF THE P

	10	100
DYCKIA sulphurea, la	\$.35	\$2.50
ECHE VERIA derenbergii, 2" rooted cuttings	•50	4.00
tip of each leaf. (Pl. 43) E. elegans, 2" rooted cuttings	• 35	2.50
E. glauca, 2" rooted cuttings	• 35	2.50
E. hybrid pulv-oliver, rooted cuttings	• 35	2.50
unrooted cuttings	med dent along green	1.50
to E. harmsii but more easily grown; small plants flower freely.		
E. hybrid set-oliver, rooted cuttings	. 35	2.50
unrooted cuttings	.25	1.50
leaves are longer, thinner and tipped with red.		
E. leucotricha, 3" rooted cuttings Similar to E. pulvinata but leaves broader and more	1.00	7.50
silvery with no red on the tips. (Fig. 44)	1 50	
E. morganiana, 2"	1.50	mage thin and their
E. multicaulis, rooted cuttings	•35	2.50
E. perbella hyb., rooted cuttings	• 35	2.50
unrooted cuttings		1.50
E. pulvinata, 3" rooted cuttings	1.00	7.50
E. purposii, line	1.25	10.00
light gray lined with red and black. A rare and distinctive plant.		
E. setosa, 2"	.60	5.00
E. simulans, unrooted cuttings	•25	1.50
EUPHORBIA aggregata, 12"	.60	
Light yellow-green, thick leaves tinged with red. EUPHORBIA aggregata, 12 E. caput commelini, 12 Small, low plant eventually forming a central head being surrounded by longer branches about one-half to three-fourths inches in diameter.	1.00	no us no no
E. grandicornis, 12" rooted cuttings	3.00	that are thin you
plant. (Fig. 7) E. grandidens, 4"	•50	AND DOG THE
Three-angled, dark green; spines arranged spirally. (Fig. 235) E. hermentiana, 4" to 6" rooted cuttings	•60	5.00
Three-angled, columnar plant with marbled surface and ornamented with small rows of leaves on the angles.	• 00	
OLUSINGUEGE MICH SHRIT LOMB OF Teacher on the surface.		

(Little and the content of the conte . . Selimber Cultural Constant Constant of the Con . assessed to the same of the same of the same A confidence of the second of . and appearance where the company of color color of contraction of the color of t A STATE OF THE STA · · · ATT DE Same THE

	10	100
Euphorbia pseudocactus, 2 rooted cuttings	\$• 7 5	\$
E. squarrosa, l2" seedlings	1.50	
E. similis, 15"	3.50	600 day va
E. submammillaris, unrooted cuttings	•25	1.50
FAUCARIAS, assorted 12" seedlings	•40	3.00
F. albidens, l ¹ / ₂ " seedlings	•40	3.50
F. bosscheana, land seedlings	•35	2.50
F. brittenae, 12" seedlings	.60	5.00
F. tigrina var. superba, l2" seedlings	•50	4.00
F. tuberculosa, law seedlings	•60	5.00
GASTERIA hybrid, land seedlings	•35	2.50
HEREROA doliabriformis, 22	•40	3.00
KALANCHOE pilosa, 12" to 2"	•60	5.00
K. somaliensis, rooted cuttings	.30 1.00	2.00
K. tomentosa, 2" rooted cuttings	•60	5.00
PACHYPHYTUM compactum, later compactum,	•60	5.00
PACHY VERIA scheideckeri crest, 2½"	•40	3.00

	101	Research and a second s
	36.48	data beiden therein men fight "I or on being more
		The southern the same and the s
		La apparagon all santifications will anogramon all
		beneviale to head galaret such actions with the
		derivation of the contract of
		continue to the continue of the continue of the thing
	,	
03.04	429	called the denies do destina de la language de de de la language like a
		a sail amond di cannos come dos mos accessos allams and more and m
		EALEANA?
197.5	014	
08.6		water and the state of the begins of and delicant and and the
		SE WILL STORY AND THE PARTY OF
12.		
0845	300	The conline binneric, Short, dark grow leaves vets
	09:	was the same of th
		large growing species of large guiters
	08.	Participated and emperior 10th south to access the south of
00.40		
		where while we are executionally the seedings
Sico	nai	Tare apades with whitman in a second and a second
		here apacies with white-iron leaves thionly covered
		with large thoughts white dok in months white to the
		(88 314) 4 25 314 10
		ifted adds arosen at 300 cates (20 cates) assessor no (20 cates) and addition of the addition
		Back, Shing green from selected forthe growing casds
		Sports of the South and the State of the Sta
	mai	HERETON Collebritannia 2 and the collebration of the collebration
		an hede for ber come to a deal man a sale more wall
		an head for the course of the
		Alcheo olnica esta domesta
	DBx	and the substitute of the subs
		and the fact the angle of the country of the countr
		We make the native how and a resident to the second to the
		and like suldshirtshands isnamen cooks ariogs two-d
		aldy Ifwa suldate-Javinso issued and is no dealer of the contract of the contr
00,8	089	PROPERTY OF THE PROPERTY OF TH
		a core deal deal to the come of the bedinger flow year
		(35 f +n fri) aboutous out
		(38f and a state of the state o
0010	ORa	THE COURT OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON AD
		Lawes or interpolation of the state of the device
		above plants (21, 35)
		PACHYPHITTAL acommonate the service of the service
		grantin did senset very would absended for the tracked
		(avi wast) wantin before or dealy and bug transfer with
record	000	(avi watt) woodin being to done the plant of the live to the part of the live to the live
		PARTE LOS BREAST - Red Libes wortenden

PLEIOSPILOS nelii, l"	10	100
"African Living Rock." PLUSH PLANT - See Kalanchoe pilosa	Ψ•ΟΟ	#O • OO
PORTULACARIA afra, rooted cuttings	.25	1.50
unrooted cuttings	come pino anno orio	1.00
P. afra variegata	1.25	10.00
Small, compact, bushy plant. Stems red; leaves round, waxy, yellow edged with brick red. Grows easily and holds up well.		
ROSARY PLANT - See Crassula perforata		
SEDUM adolphii, rooted cuttings unrooted cuttings	.30	2.00
Colorful, waxy, yellow, thick, oblong leaves. (Pl. 51)		1.00
S. altissimum var. latifolium, rooted cuttings	.20	1.20
unrooted cuttings		.60
Bluish green; clumps rapidly. (Fig. 195) S. confusum, 2" plants	.20	1.20
unrooted cuttings		.60
S. guatemalense, rooted cuttings	.20	1.20
unrooted cuttings	does not not	.60
S. lineare var. variegatum, rooted cuttings	.20	1.20
S. multiceps, 2" well branched	•40	3.00
Small plant forming a perfect replica of a tiny Japanese,		
dwarf, pine tree. (Fig. 195) S. winkleri, rooted cuttings	.25	1.50
Small, light green rosettes. (Fig. 196)	•••	200
TIGER'S JAW - See Faucaria tigrina var. superba UMBILLICUS chrysanthus, 1" rooted cuttings with small offsets	•25	1.50
or and a contraction of a contraction of the contra		


BOOKS EVERY DEALER SHOULD HAVE

CACTI FOR THE AMATEUR - Paper \$1.00, Board \$1.50, retail SUCCULENTS FOR THE AMATEUR - Paper \$1.50, Cloth \$2.00, retail

Both are profusely illustrated with photographic reproductions, also color plates, showing a large number of the plants we list. These illustrations will assist you in selecting stock and interesting your customers. Copies for resale can be obtained at liberal dealers' discounts from the publisher, Abbey Press, Box 101, Pasadena, California.

From:

R. W. POINDEXTER NURSERY 1000 North Temple Street Compton -California





Return Postage Guaranteed

U.S. DEPT. OF AGRICULTURE BUREAU OF PLANT INDUSTRY WASHINGTON. D.C.

SUCCULARIES FOR THE AMERICA - PRIOR & Land, Chorn State, retain

CONTENTE STATE OF A

UNBILLIBUS chrynauthus. I'm rooted out lass which analt affects to t F 20 TINITE THE - 200 become a traine was superpo 3 .20 dwart, pine bross (Fig. 105) SMALL I TAKE FOR THE A PAST'OOF FEBTION OF A TILL JANDINGS. multicops, 2" noil branchida arangementaria arangementaria 3,00 lyne weer men array a read hear hanger ("gally yes) B. Minor's with war to be but a sold a carbin go and a second and a second I .SO binged rea, outtings rook immediately; (Figs 1964) minoopog onnegnacessessessessessessessessesses . S. Blatomalones, rocked mattagas assesses assesses assesses 480 180 Se configure, in plantage exercise the section service exercises and 450 Blatch ground aliene rapidity. (Fig. 195) milooped Gregoricassessessessesses of advantage, why included your arthings are assessed 150 1.000 Colorful, waxy, yellow, which, oblong leaves, (Fl. Sl.) BULDORDS SERVICE SERVI 1259 BEBRN WOOTHETT LOCKED ONCE THE STATE #30 5:00 Small, compact, buchy plant, Shont red; ten was round, Be alin mario account and encountries and expension and ex TISE 10200 SEALL CLASS (Fig. 160) Small, chiny leaves on reddish atoms, branching like a SCHOOLST TEAM MIDDER CORRESPONDED TO THE TRANSPORTER OF THE PROPERTY OF THE PR ATTAICUE PTATUM MUNETA